

Prepared for:

CBD LUXE

955 E WESTGLOW

GREENWOOD VILLAGE, CO USA 80121

Be Alert Tincture

Batch ID or Lot Number: ALRT003A	Test: Potency	Reported: 05Apr2023	USDA License: N/A
Matrix: Unit	Test ID: T000240337	Started: 04Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.900	6.062	ND	ND	# of Servings = 1, Sample Weight=30g
Cannabichromenic Acid (CBCA)	1.738	5.545	ND	ND	
Cannabidiol (CBD)	5.254	15.239	722.620	24.10	
Cannabidiolic Acid (CBDA)	5.388	15.630	ND	ND	
Cannabidivarin (CBDV)	1.243	3.604	120.440	4.00	
Cannabidivarinic Acid (CBDVA)	2.248	6.520	ND	ND	
Cannabigerol (CBG)	1.079	3.442	31.600	1.10	
Cannabigerolic Acid (CBGA)	4.509	14.388	ND	ND	
Cannabinol (CBN)	1.407	4.490	ND	ND	
Cannabinolic Acid (CBNA)	3.076	9.817	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	5.372	17.142	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.879	15.568	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	4.322	13.793	ND	ND	
Tetrahydrocannabivarin (THCV)	0.981	3.131	54.510	1.80	
Tetrahydrocannabivarinic Acid (THCVA)	3.813	12.166	ND	ND	
Total Cannabinoids			929.170	31.00	
Total Potential THC			ND	ND	
Total Potential CBD			722.620	24.10	

Final Approval



Karen Winternheimer
05Apr2023
02:31:00 PM MDT

PREPARED BY / DATE



Sam Smith
05Apr2023
02:35:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/9a9859a6-8a3c-4901-af4d-6132227eb7a9>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

9a9859a68a3c4901af4d6132227eb7a9.1