

Prepared for:
CBD LUXE
955 E WESTGLOW
GREENWOOD VILLAGE, CO USA 80121

Be Calm Inhaler

Batch ID or Lot Number: CLMI003A	Test: Potency	Reported: 22Apr2024	USDA License: N/A
Matrix: Unit	Test ID: T000277946	Started: 18Apr2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Apr2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.643	1.928	ND	ND	# of Servings = 1, Sample Weight=1.55g
Cannabichromenic Acid (CBCA)	0.588	1.764	ND	ND	
Cannabidiol (CBD)	1.774	5.060	13.740	8.90	
Cannabidiolic Acid (CBDA)	1.820	5.190	ND	ND	
Cannabidivarin (CBDV)	0.420	1.197	2.780	1.80	
Cannabidivarinic Acid (CBDVA)	0.759	2.165	ND	ND	
Cannabigerol (CBG)	0.365	1.095	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	1.526	4.577	ND	ND	
Cannabinol (CBN)	0.476	1.428	ND	ND	
Cannabinolic Acid (CBNA)	1.041	3.123	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.818	5.453	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.651	4.952	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.463	4.388	ND	ND	
Tetrahydrocannabivarin (THCV)	0.332	0.996	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	1.290	3.870	ND	ND	
Total Cannabinoids			16.520	10.70	
Total Potential THC			ND	ND	
Total Potential CBD			13.740	8.90	

Final Approval



Karen Winternheimer
22Apr2024
09:00:00 AM MDT

PREPARED BY / DATE



Phillip Travisano
22Apr2024
09:01:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/3ea17fde-beca-420a-a8a2-c590d7545f69>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
3ea17fdebeca420aa8a2c590d7545f69.1