

CERTIFICATE OF ANALYSIS

Prepared for:

CBD LUXE

955 E WESTGLOW GREENWOOD VILLAGE, CO USA 80121

Be Fire Stick

Batch ID or Lot Number:	Test:	Reported:	USDA License:
FSTK-002A	Potency	02Nov2022	N/A
Matrix:	Test ID:	Started:	Sampler ID:
Concentrate	T000226227	31Oct2022	N/A
	Method(s):	Received:	Status:
	TM14 (HPLC-DAD)	28Oct2022	N/A

Cannabinoids	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	No
Cannabichromene (CBC)	0.021	0.060	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Cannabichromenic Acid (CBCA)	0.019	0.054	ND	ND	
Cannabidiol (CBD)	0.048	0.167	1.670	16.70	
Cannabidiolic Acid (CBDA)	0.049	0.171	ND	ND	
Cannabidivarin (CBDV)	0.011	0.039	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.021	0.071	ND	ND	
Cannabigerol (CBG)	0.012	0.034	0.270	2.70	
Cannabigerolic Acid (CBGA)	0.050	0.141	ND	ND	
Cannabinol (CBN)	0.015	0.044	0.050	0.50	
Cannabinolic Acid (CBNA)	0.034	0.096	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.059	0.168	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.054	0.153	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.048	0.136	ND	ND	
Tetrahydrocannabivarin (THCV)	0.011	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.042	0.120	ND	ND	
Total Cannabinoids			1.990	19.90	
Total Potential THC			ND	ND	
Total Potential CBD			1.670	16.70	

Final Approval

PREPARED BY / DATE

Karen Winternheimer 02Nov2022 11:06:00 AM MDT

Amantha

Sam Smith 02Nov2022 11:07:00 AM MDT



https://results.botanacor.com/api/v1/coas/uuid/6cd5a222-07e6-4cfa-a150-64fc9a36ec42

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.

