


## PureSyncore Plain Tinct

Batch ID or Lot Number: <b>PSPBV01A</b>	Test: <b>Potency</b>	Reported: <b>05Dec2023</b>	USDA License: N/A
Matrix: Unit	Test ID: T000263615	Started: 01Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Dec2023	Status: N/A

## Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.503	5.374	ND	ND	# of Servings = 1, Sample Weight=28g
Cannabichromenic Acid (CBCA)	1.375	4.915	ND	ND	
Cannabidiol (CBD)	5.147	12.707	1017.410	36.30	
Cannabidiolic Acid (CBDA)	5.279	13.033	ND	ND	
Cannabidivarin (CBDV)	1.217	3.005	169.550	6.10	
Cannabidivarinic Acid (CBDVA)	2.202	5.437	ND	ND	
Cannabigerol (CBG)	0.853	3.051	46.250	1.70	
Cannabigerolic Acid (CBGA)	3.567	12.755	ND	ND	
Cannabinol (CBN)	1.113	3.981	ND	ND	
Cannabinolic Acid (CBNA)	2.433	8.703	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.249	15.196	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.859	13.801	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.419	12.227	ND	ND	
Tetrahydrocannabivarin (THCV)	0.776	2.775	75.450	2.70	
Tetrahydrocannabivarinic Acid (THCVA)	3.016	10.785	ND	ND	
<b>Total Cannabinoids</b>			<b>1308.660</b>	<b>46.80</b>	
Total Potential THC			ND	ND	
Total Potential CBD			1017.410	36.30	

## Final Approval



Karen Winternheimer  
05Dec2023  
02:25:00 PM MST

PREPARED BY / DATE



Sam Smith  
05Dec2023  
02:26:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/1acdc934-0b50-4e22-9768-69848d5aa6f2>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert.#4329.02  
1acdc9340b504e22976869848d5aa6f2.1