

Prepared for:

CBD LUXE

955 E WESTGLOW

GREENWOOD VILLAGE, CO USA 80121


Mint Tincture Spray

Batch ID or Lot Number: MS-001A	Test: Potency	Reported: October 18, 2023	USDA License: N/A
Matrix: Solution	Test ID: T000220000	Started: October 17, 2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: October 17, 2023	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.063	0.187	ND	ND	Density = 1g/mL
Cannabichromenic Acid (CBCA)	0.058	0.171	ND	ND	
Cannabidiol (CBD)	0.164	0.483	28.090	28.10	
Cannabidiolic Acid (CBDA)	0.169	0.496	ND	ND	
Cannabidivarin (CBDV)	0.039	0.114	0.110	0.10	
Cannabidivarinic Acid (CBDVA)	0.070	0.207	ND	ND	
Cannabigerol (CBG)	0.036	0.106	ND	ND	
Cannabigerolic Acid (CBGA)	0.150	0.444	ND	ND	
Cannabinol (CBN)	0.047	0.139	ND	ND	
Cannabinolic Acid (CBNA)	0.102	0.303	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.178	0.529	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.162	0.480	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.143	0.426	ND	ND	
Tetrahydrocannabivarin (THCV)	0.033	0.097	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.126	0.375	ND	ND	
Total Cannabinoids			28.200	28.20	
Total Potential THC			ND	ND	
Total Potential CBD			28.090	28.09	

Final Approval


 Sam Smith
 18Oct2023
 03:40:00 PM MDT
 PREPARED BY / DATE


 Daniel Weidensaul
 18Oct2023
 03:46:00 PM MDT
 APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ccf26e68-4cce-442a-abf2-6701b4a7fa90>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

ccf26e684cce442aabf26701b4a7fa90.1